TP12VDC-5A-ILS







Tel: 1300822769 www.tacpower.com.au sales@tacpower.com.au

CAUTION



Equipment must be installed & serviced by suitably qualified service personnel in a restricted access area. There are no user serviceable parts inside.

Do not remove module covers

No user serviceable parts inside

General



This power is designed for indoor use only.

The TP12DC-5A-ILS is a low profile 240Vac to 12VDC 5A switchmode power supply fitted with four screw terminal outputs

This model features output current limiting and thermal shutdown protection with auto recovery.

Connection

Connect 240V mains input via approved supplied IEC power lead.

Load equipment may be connected to four sets Green terminals located at other end of power supply.


A removable cover is provided on the output terminals.

Output voltage is factory set to 12Vdc.

The output LED should be illuminated when operating normally.

There are no fuses or user serviceable components inside the housing - return to your supplier for service or replacement.

LAYOUT



A	240Vac IEC Mains Input
В	Output Voltage Adjustment (Use an insulated screwdriver to adjust)
С	Power on LED
D	12Vdc Output Terminals 4 Channel
E	Mounting Holes
	Made in China

TP12VDC-5A-ILSPOWERING
YOUR VISION240Vac-12VDC 5A Power Supply

Specifications :

(In the interests of product improvement, Tactical reserves the right to change specifications without notice)

	TP12-5ILS
Input Voltage	90-265Vac 50Hz
Output Voltage	Factory set to 12Vdc
Output Current	5A Max. via 4 terminal blocks
Output Protection	Over voltage protection, Current Limiting with Auto Recovery, Thermal Shutdown
Operating Temperature	0° C to 40° C @ 100% Load
Electrical Safety & EMC	AS/NZ 60950.1:2015, CISPR32:2013 - Class B, SAA-192174-EA
Efficency	≥85%
Dimensions	166mm x 55mm x 34.5mm

www.tacpower.com.au



Securing Your Power Needs ®

Now and into the Future . . .

© 2019 The contents of this manual are copyright and may not be reproduced without the written permission of Tactical Power Products Pty Ltd.

Tel: 1300822769 PO Box 90 Kurrajong NSW 2758 sales@tacpower.com.au